

REGULAR CONTINUATION

Application Based on application Serial No. 09/969,072, filed October 2, 2001, which is a Continuation of application Serial No. 09/487,065, filed January 19, 2000, now issued as US Patent No. 6,353,487, which is a continuation application of Serial No. 08/510,733, filed August 3, 1995, now issued as US Patent No. 6,154,295 which is a continuation-in-part of application Serial No. 08/201,735 filed February 25, 1994, now abandoned.

Docket **67244HF-P**

Inventors: John R. Fredlund, David L. Patton, Roger R. Morton,
Steven B. Paciocco

Customer No. 01333

**SYSTEM AND METHOD FOR SELECTING PHOTOGRAPHIC
IMAGES USING INDEX PRINTS**

Commissioner for Patents,
ATTN: MAIL STOP PATENT APPLICATION
P.O. Box 1450
Alexandria, VA. 22313-1450

Express Mail Label No.: EV 293 538 081 US

Date: July 17, 2003

SYSTEM AND METHOD FOR SELECTING PHOTOGRAPHIC IMAGES USING INDEX PRINTS

CROSS REFERENCE TO RELATED APPLICATIONS

This is a Continuation of application Serial No. 09/969,072, filed October
5 2, 2001, by Fredlund et al., which is a Continuation of application Serial No. 09/487,065,
filed January 19, 2000, by John R. Fredlund et al., now issued as US Patent No. 6,353,487,
which is a continuation application of Serial No. 08/510,733, filed August 3, 1995, by
Fredlund et al., now issued as US Patent No. 6,154,295 which is a continuation-in-part of
application Serial No. 08/201,735 filed February 25, 1994, now abandoned.

10

Technical Field

The present invention is directed to the field of photo processing and, more
particularly, to the selection of photographic images for printing.

BACKGROUND OF THE INVENTION

15

A number of systems have been proposed for electronic processing of
prints. These include Kodak's Creat-a-Print, where the operator goes to a photo store or
mini lab location, inserts his negatives, and zooms and crops or enlarges the image prior to
printing. Other systems, like Kodak's Image Magic, provide for a combination of a stored
image with that of a "live" image of the customer, for prints which have been cropped and
20 composed at a theme park. In addition, Photo CD™ provides a method for putting selected
images at full 35mm film resolution on a Photo CD™ disc.

Often, however, a consumer faces a problem in that he has received a
number of prints from a photo dealer or in the mail from a photo finisher and he wishes to
send additional copies of these prints to other friends or relatives, or receive additional
25 copies for himself.

In traditional photo processing environments, there has always been the
difficulty of determining which photographic negative contains the image of choice. The
customer often has difficulty determining which photographic negative contains the image
of choice. Also, the customer often has difficulty interpreting the negative as it would
30 appear when printed. The customer must identify the images of interest on the negative by
identifying each negative to the prints he wants. He must then return the negative to the

mini lab, photo store, or photo processor, either in person or by mail, and then must specify the size and number of each print. He must then wait for the new prints to be made and then obtain these prints from the drug store, mini lab, or photo finisher.

There are a number of problems with this approach. For instance, the sensitive film negative must be handled multiple times by the customer, adding a potential for scratching, fingerprinting, and otherwise damaging the film. Also, the sleeve must be written on to convey the ordering information. This works well if the customer does not insert the negatives into the sleeve before writing on it. Otherwise, there is a potential for damaging the film by writing on the sleeve while the film is within. There is also a potential for improper recording of data. Furthermore, the small negative image is not easily identifiable by the customer, particularly when there are several similar images. Another problem is that the images on the film do not always line up well with the preflashed numbers on the edge of the film. The customer is often confused as to whether an image is "number 9", number "9A", or number "10". This confusion can result in selection of the wrong images for reprint.

Recently, in an attempt to facilitate the process of ordering photographic reprints, customers have been supplied with an index print containing a number of miniature images along with an associated index number corresponding to the frame number on the film. Customers return the negatives bearing the images corresponding to the desired reprints to the photofinisher and indicate the desired frame number from the index print for reprints. Although this approach represents an improvement over prior techniques, it still has the drawback of having the customers handle the negatives, which can become soiled, damaged or lost while in the possession of the customer. When a customer does order reprints, the negatives may be stored haphazardly and apart from the original prints, making the negatives difficult to retrieve at a later date. Finally, this somewhat arduous process of obtaining additional prints provides little impetus for reprints. The inconvenience of ordering is a barrier to ordering reprints.

It is seen then that it would be desirable to have an improved system and method for facilitating ordering and re-ordering of prints from negatives or slides.

SUMMARY OF THE INVENTION

In accordance with one aspect of the present invention there is provided a method for remotely ordering image products or services with respect to digitally stored images, comprising the steps of:

- 5 obtaining a digital file of at least one image;
 storing the digital file in a memory device and associating an order number that identifies the digital file;
 facilitaing viewing of the images prior to ordering image products with respect to the at least one image; and
- 10 facilitating remote electronically ordering an image product or service with respect to the at least one image over a communication network using the order number.

In another aspect of the present invention there is provided a method for remotely ordering image products or services with respect to digitally stored images, comprising the steps of:

- 15 obtaining a digital file of at least one image;
 storing the digital file in a memory device and associating an order number that identifies the digital file;
 facilitating electronically ordering an image product or service with respect to the at least one image over a communication network using the order
- 20 number by a customer;
 providing the image product or server ; and
 providing the image product to the party designated.

Other objects and advantages of the invention will be apparent from the following description, the accompanying drawings and the appended claims.

25 BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a schematic diagram of the system for remotely selecting photographic prints according to the method of the present invention;

Fig. 2 shows an index print employed in the method of the present invention;

- 30 Fig. 3 is a flow chart illustrating the ordering of photographic prints according to the present invention;

Fig. 4 shows an alternative embodiment of the present invention;

Fig. 5 is a flow chart showing the digital image compression steps used in one embodiment of the present invention; and

Fig. 6 is a flow chart showing the image decompression steps performed on the compressed digital image.

DETAILED DESCRIPTION OF THE INVENTION

Referring to Fig. 1, in one embodiment of the present invention, a customer exposes a roll of film in a cartridge 10 in her camera 12 and sends the film to a photo processing lab 14 to be developed. As is well known, a retail outlet such as a photo store, drugstore, or supermarket may be an intermediary in sending the film to the photoprocessing lab. At the photoprocessing lab 14, the film is developed in a processor 16 to produce processed film 18. The processed film 18 is printed in a photographic printer 20 to produce a set of prints 22. The processed film 18 is also scanned in a scanner 24 to produce a digital image file of the images on the film.

A computer 26 controls the scanner 24, processes the digital image file, and stores the digital image file along with a customer order number and a unique customer identification number in a mass storage device 28 such as a magnetic tape drive or an optical disc. An index printer 30 is connected to the computer 26 and employs the digital image file stored on storage device 28 to produce an index print. The index printer 30 may comprise for example a separate color thermal printer, or a color CRT printer for exposing photographic film. As shown in Fig. 2, the index print 32 includes the customer order number 34 that identifies the digital image file from which the index print was made, and a series of images 36, each having an associated index number 37.

The developed film 18, and prints 22 are returned to the customer along with the index print 32. Instructions 38 may be included with the customer order, informing the customer of the printing and related photographic services available, and the prices for the services. The instructions 38 may be printed out using a coupon printer 39 connected to computer 26. The customer is instructed that a digital record of their negatives was made and that by calling, for example, a 1-800 number, they can either have the digital file of their negatives deleted or extended for a certain period of time, such as a month. The customer can then have a specified period of time to respond by ordering a

service. If the customer does not order any service in that period of time, their file is automatically deleted. During the time period, there are several services that they can order, and special price advantages may be offered. If any service is ordered, maintenance of the digital negatives file may be extended.

5 The customer calls on her touch tone telephone 40 and connects with an operator or computer voice ordering system 42. As shown in Fig. 3, the voice ordering system instructs the customer to enter the order number (44), and then requests a frame number to be entered (46). Next, the customer is directed to enter a code for the desired service (48) to be performed with respect to the image corresponding to the desired frame number. The customer is queried as to whether additional services are required (50). If 10 the answer is yes, the previous steps are repeated; if no, the address and credit card number of the customer is verified (52), and the order process is ended.

 During the ordering process, the customer may be prompted to record a voice message that is recorded and provided with a print related service, such as a voice 15 chip associated with the print, or a magnetic or other type of recording on the print or associated with the print. The voice message may also be transcribed and printed on a label or on the back of the print.

 Returning to Fig. 1, computer 26 is connected to a print server 54 that controls a number of digital printers 56, and 58. The digital printers may include, for 20 example, digital printers for exposing conventional silver halide color photographic paper to make high quality enlargements, thermal dye transfer printers and ink jet printers for making poster size enlargements. A Photo CD™ writer 60 is also connected to the computer 26 for recording the customer selected images on a Photo CD™. A bill printer 62 is connected to the computer 26 for printing the customer bill.

25 After completion, the customer order, generally designated 64, including any photographic prints 66, Photo CD™s 68 and the customer bill 70 is sent to the customers delivery address 72, either by mail or parcel service.

 Services which may be ordered include requesting a Photo CD™ from the digital image file whose images appear on the index print. Digital enlargements may be 30 made from selected digital image files whose images appear on the index print. Digital

prints, enlargements, and other image bearing items made from selected digital image files may be sent directly to the customer or to any person designated by the customer. Digital greeting cards or business cards may be made from selected digital negatives. Other products and services such as images inserted in pre-prepared templates, printed album
5 pages, collages, recorded voice messages, etc. can be offered. Additionally, for a nominal fee, the customer can extend the length of time their digital negatives are stored.

Alternatively, the photofinisher may not make any prints originally and can keep the film 18 for use in optical printing later when the customer places his or her order (or a set of prints could be made and sent to the customer while the negatives are retained
10 by the photofinisher). If the customer chooses to maintain the digital file or make a print order, the customer then has that specified period of time to respond by ordering a service. If the customer does not order anything within that time period, their file is automatically deleted. The negatives could be destroyed or returned. During the time period, there are several services that can be ordered, and special prices may apply. Ordering a service may
15 also extend the maintenance of their digital negative files. Services may be ordered using a touch tone telephone and the unique ID number, without requiring additional personnel to take the orders. As images are discarded by the customer, the storage devices can be reused.

Because the digital printers and digital storage are capital intensive items, it
20 may be preferable to separate the digital printing part of the operation from the photo processing lab and place it in a digital image center that serves several photo processing labs. Fig. 4 illustrates this approach. After the films are scanned at the photo processing lab 14, and the index prints made, the digital image files are stored on magnetic tape cassettes 76 in digital cassette recorder 77. Several orders, such as one day's production
25 may be placed on one cassette. The cassettes 76 are shipped to a digital image center 78, where they are placed in a multiple cassette drive 80 for future access.

Alternatively, the digital image files on the cassettes may be transferred to another storage medium such as optical disc at the digital image center 78. Also, rather than physically shipping a tape cassette 76, the digital image file may be transmitted to the
30 digital image center over a high speed data link such as a fiber optic cable.

As shown in Fig. 5, to minimize storage size, the digital image files may be compressed prior to storage. The digital images from scanner 24 are passed as 3-plane, 2K x 3K pixel, digitized color images. The digital images are processed (100) to convert the negative film scans from cyan, magenta, and yellow color space to Kodak's YCC color space (a luminance Y, and color difference signal CC color space). Slide film scans are converted from red, green, blue color space to Kodak's YCC color space. The bit-depth of each pixel in a color plane is reduced from 12-bits to 8-bits using a non-linear luminance mapping which more evenly distributes quantization errors based on human perception rather than image intensity.

10 The high resolution version of the YCC image is now down sampled (102) in each chrominance channel by a factor of 2:1 in each of the x-direction and y-directions in the image. This can generally be done with very little loss of data due to the reduced information content in these channels.

15 The image is further reduced in storage requirement by performing JPEG image compression (106) on both the low and high resolution images. The compression ratio achieved will depend on the image content and the desired image quality (i.e. the level of acceptable compression induced artifacts in the decompressed image). The compression technique and quantization matrix are selected to enable compression ratios on the order of 5:1 to 15:1 to be achieved.

20 Alternately, a lower spatial resolution scanner 24 may be used to scan the film image in combination with a compression module which uses smaller compression ratios (e.g. 1.5:1 to 3:1) to achieve a similar compressed storage image file size. The lower scanning data rate advantage of this method is offset by more limited ability to enlarge the resulting stored image without introducing visible image artifacts. The
25 resulting compressed digital image files are stored (108).

 To decompress the digital image file, the operations performed by the computer 26 in the photo processing lab 14, or computer 80 in the digital image center 78 will now be described with reference to Fig. 6. To utilize the stored compressed image, JPEG decompression is applied (112) to reverse the effects of the JPEG compression step
30 (106). The chrominance channels are then up sampled (114) to reverse the down sampling (102) previously performed on these channels.

Color transformation is performed (116) as necessary to translate the encoded Kodak YCC image color space image into the control signal space necessary to drive the intended printing device.

5 The image is then resized (118) based on the desired final image size and the image printer's writing resolution (i.e. pixels per inch). The previous two steps are sometimes reversed to eliminate unnecessary pixel computations (e.g. color transformation may be performed after resizing when the resulting image is to be significantly reduced in size to avoid color correcting pixels which would never be printed as a result of a subsequent resizing step).

10 Image sharpening is generally performed (120) as one of the last steps in the processing chain to compensate for the image printer's natural modulation transfer function (MTF). Alternately, this sharpening step is sometimes performed prior to resizing to save processing time if significant enlargement is requested and the resulting loss of image quality will not be objectionable.

15 Next, if a device which is not able to reproduce "continuous-tone" color (i.e. 8-bits per pixel per color plane) is used to make this final print, a halftoning step (124) is employed to render the image to the reduced number of bits capable of being printed per pixel per color by the final image printing device (e.g. an inkjet print might be reduced to 1-bit per pixel per color to accommodate this device's bitonal printing capability).

20 As will be obvious to those skilled in the art, various modifications of the present invention are possible without departing from the scope of the invention. For example, the customer is able to order goods and services via a telephone, by looking at the index print and making selections on the touch tone pad.

25 **Industrial Applicability and Advantages**

The present invention is useful in the field of photo processing in that it reduces the inconvenience of ordering prints and reprints from photographic negatives. The present invention has the advantage of streamlining the previously inconvenient means of selecting and ordering photographic prints and reprints. The present invention
30 has the further advantage of decreasing the multiple handling of sensitive film negatives by the customer. The present invention offers the potential for eliminating unwanted

prints by allowing the customer to peruse the images before ordering an initial printing of the negative. The present invention also has the advantage of eliminating improper recording of data. Finally, the present invention has the advantage of making negative images more easily identifiable by the customer, particularly when there are several similar
5 images.

It is to be understood that various modifications and changes may be made without departing from the present invention, the present invention being defined by the following claims.

PARTS LIST

10	film cartridge
12	camera
14	photo processing lab
16	film processor
18	processed film
20	photographic printer
22	photographic prints
24	film scanner
26	computer
28	storage device
30	index printer
32	index print
34	customer order number
36	index images
37	index number
38	instructions
40	telephone
42	voice ordering system
44	enter order number step
46	enter frame number step
48	enter code for desired service step
50	identify additional services step
52	verify customer credit information step
54	print server
56	digital printer
58	digital printer
60	Photo CD™ writer
62	bill printer
64	customer order
66	photographic prints

68	Photo CD™
70	customer bill
72	customer delivery address
76	magnetic tape cassette
77	cassette recorder
78	digital image center
80	multiple cassette drive
100	image processing step
102	down sample step
106	JPEG compress step
108	store digital image step
112	JPEG decompress step
114	chrominance up sample step
116	color transformation step
118	resize image step
120	sharpen image step
124	halftone image step